

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims**

1. (Previously Presented) An image processing method for carrying out image processing on an image, the image processing method comprising the steps of:

selecting an area in the image; and

adjusting at least one of: density of the image at the selected image area based on density information of an area in the image surrounding the selected image area so as to compensate for an effect of density of the surrounding image area on visual perception of the density of the selected image area; and color of the image at the selected image area based on color information of the surrounding image area so as to compensate for an effect of color of the surrounding image area on visual perception of the color of the selected image area.

2. (Previously Presented) An image processing apparatus for carrying out image processing on an image, the image processing apparatus comprising:

selecting means for selecting an area in the image; and

adjusting means for adjusting at least one of: density of the image at the selected image area based on density information of an area in the image surrounding the selected image area so as to compensate for an effect of density of the surrounding image area on visual perception of the density of the selected image area; and color of the image at the selected image area based on color information of the surrounding image area so as to compensate for an effect of color of the surrounding image area on visual perception of the color of the selected image area.

3. (Previously Presented) A computer-readable recording medium storing a program to cause a computer to execute a method of carrying out image processing on an image, the program comprising the procedures of:

selecting an area in the image; and

adjusting at least one of: density of the image at the selected image area based on density information of an area in the image surrounding the selected image area so as to compensate for an effect of density of the surrounding image area on visual perception of the density of the selected image area; and color of the image at the selected image area based on color information of the surrounding image area so as to compensate for an effect of color of the surrounding image area on visual perception of the color of the selected image area.

4. (Previously Presented) An image processing apparatus for carrying out image processing on an image, the image processing apparatus comprising:

a selector selecting an area in the image; and

an adjustor adjusting at least one of: density of the image at the selected image area based on density information of an area in the image surrounding the selected image area so as to compensate for an effect of density of the surrounding image area on visual perception of the density of the selected image area; and color of the image at the selected image area based on color information of the surrounding image area so as to compensate for an effect of color of the surrounding image area on visual perception of the color of the extracted image area.

5. (Previously Presented) The image processing method of claim 1, further comprising:

designating the area surrounding the selected image area as a concentric area in the image excluding the selected image area.

6. (Previously Presented) The image processing method of claim 1, further comprising:

determining the surrounding image area such that the surrounding image area has a radius of 3 times a radius of the selected image area.

7. (Previously presented) The image processing method of claim 1, further comprising:

dividing the surrounding image area into sub areas; and  
calculating an average pixel density of each sub area.

8. (Previously presented) The image processing method of claim 1, further comprising:

calculating density and/or color information of the surrounding image area.

9. (Currently Amended) The image processing method of claim 11, wherein:

the selecting step selects a flesh area of the face area of the figure in the image as the ~~extracted~~-selected image area, the adjusting step adjusting at least one of density and color of the image at the flesh area.

10. (Previously Presented) An image processing method for carrying out image processing on an image, the image processing method comprising the steps of:

selecting an area in the image; and

adjusting a density of the image at the selected image area based on density information of an area in the image surrounding the selected image area so as to compensate for an effect of density of the surrounding image area on visual perception of the density of the selected image area.

11. (Previously Presented) The image processing method of claim 1, wherein the selecting step selects a face area of a figure in the image as the selected image area.

12. (Previously Presented) The image processing method of claim 1, wherein the adjusting step adjusts the density of the image by:

increasing the density of the selected image area if the density of the surrounding image area is higher than the selected image data; and

decreasing the density of the selected image area if the density of the surrounding image area is lower than the density of the selected image area.

13. (Previously Presented) The image processing method of claim 12, wherein the adjusting step adjusts the density of the

image by determining a new density  $K_{\text{new}}$  of the selected image area according to:

$$K_{\text{new}} = K + \beta(Q-K),$$

where

$K$  = density of the selected image area before the adjusting is performed;

$Q$  = density of the surrounding image area; and

$\beta$  = predetermined function, which generates a negative value when  $K > Q$ , and generates a positive value when  $K < Q$ .

14. (Previously Presented) The image processing method of claim 12, wherein the adjusting step adjusts the density of the image by determining a new density  $K_{\text{new}}$  of the selected image area according to:

$$K_{\text{new}} = K + \alpha \cdot \beta(Q-K),$$

where

$K$  = density of the selected image area before the adjusting is performed;

$Q$  = density of the surrounding image area;

$\alpha$  = a function whose value changes according to the color of the selected image area; and

$\beta$  = a predetermined function, whose value is negative value when  $K > Q$ , and whose value is positive when  $K < Q$ .